

The BULLETIN OF THE BEAUX-ARTS INSTITUTE OF DESIGN

CORRESPONDING MEMBER SCHOOLS

SCHOOL YEAR 1951-1952

CATHOLIC UNIVERSITY OF AMERICA
CLEMSON AGRICULTURAL COLLEGE
GEORGIA INSTITUTE OF TECHNOLOGY
ILLINOIS INSTITUTE OF TECHNOLOGY
INSTITUTE OF DESIGN AND CONSTRUCTION
KANSAS STATE COLLEGE OF AGRICULTURE AND
APPLIED SCIENCE
NORTH CAROLINA STATE COLLEGE
OHIO STATE UNIVERSITY
OHIO UNIVERSITY
OKLAHOMA AGRICULTURAL AND MECHANICAL COLLEGE
PENNSYLVANIA STATE COLLEGE
PRINCETON UNIVERSITY
RICE INSTITUTE
SYRACUSE UNIVERSITY
TEXAS TECHNOLOGICAL COLLEGE
UNIVERSITY OF KENTUCKY
UNIVERSITY OF NEBRASKA
UNIVERSITY OF NEW MEXICO
UNIVERSITY OF NOTRE DAME
UNIVERSITY OF VIRGINIA
WASHINGTON UNIVERSITY, ST. LOUIS
WESTERN RESERVE UNIVERSITY, CLEVELAND
UNIVERSITY OF HAVANA, CUBA
UNIVERSITY OF MANITOBA, CANADA
ECOLE DES BEAUX ARTS DE MONTREAL, CANADA

DEPARTMENT OF ARCHITECTURE

AMERICAN INSTITUTE OF ARCHITECTS
AMERICAN INSTITUTE OF DECORATORS
AMERICAN SOCIETY OF LANDSCAPE ARCHITECTS
SOCIETY OF MURAL PAINTERS
SOCIETE DES ARCHITECTES DIPLOMES P.G.F.
NATIONAL SCULPTURE SOCIETY

SOCIETIES COOPERATING

THE BULLETIN OF THE
BEAUX-ARTS INSTITUTE OF DESIGN
SEPTEMBER 1952 VOL. XXVIII NUMBER SIX SCHOOL YEAR 1951-1952

CONTENTS

ARCHITECTURE

AUGUST 26, 1952	A LARGE SHOPPING CENTER - ARCHITECTURAL FORUM PRIZE	PAGE 53
	CLASS A PROBLEM 5	
	A MANUAL SKILLS ANNEX FOR AN EXISTING HIGH SCHOOL	PAGE 55
	CLASS B PROBLEM 5	
	A MOTEL (A TOURIST CAMP)	PAGE 58
	CLASS C PROBLEM 5	
	A POSTAGE STAMP	PAGE 59
	CLASS A SKETCH 5	
	A BOOK JACKET	PAGE 60
	CLASS B SKETCH 5	
	INDEX TO VOLUME XXVIII - 1951-1952	PAGE 61

PAGES IN THIS ISSUE #53 - 64

REPRODUCTIONS OF DESIGNS IN THIS ISSUE #80 - 92 (TOTAL NUMBER OF PLATES: 11)

THE REPORTS OF THE JURY IN THE BULLETIN ARE PRESENTED AS AN UNOFFICIAL OPINION BY A MEMBER OF THE JURY DELEGATED FOR THIS PURPOSE, AND SHOULD NOT BE INTERPRETED AS THE COLLECTIVE OPINION OF THE JURY.

THE BULLETIN IS ISSUED BY THE BEAUX-ARTS INSTITUTE OF DESIGN, 115 EAST 40TH ST., NEW YORK 16, NEW YORK. THE SUBSCRIPTION RATE TO THE BULLETIN WITHOUT REPRODUCTIONS IS \$2.00 FOR THE SCHOOL YEAR AND WITH REPRODUCTIONS \$25.00 FOR THE SCHOOL YEAR. SUBSCRIPTIONS FOR THE BULLETIN WITH REPRODUCTIONS MUST BE ENTERED BEFORE THE FIRST JUDGMENT OF THE SCHOOL YEAR, AFTER THAT DATE SUBSCRIBERS MUST PAY AN ADDITIONAL CHARGE OF 50 CENTS FOR EACH PLATE THAT HAS BEEN ISSUED PRIOR TO PLACING HIS SUBSCRIPTION. SINGLE REPRODUCTIONS OF THE CURRENT SCHOOL YEAR'S WORK MUST BE PURCHASED AT 50 CENTS A PRINT; REPORTS OF WORK OF ANY PREVIOUS SCHOOL YEAR IF AVAILABLE \$1.00 PER PRINT OR REPORT.

SUBSCRIBERS ARE REQUESTED TO GIVE NOTICE OF ANY CHANGE OF ADDRESS PROMPTLY.

BEAUX-ARTS INSTITUTE OF DESIGN

DEPARTMENT OF ARCHITECTURE

1951-1952 FIFTY-NINTH SCHOOL YEAR

115 EAST 40th ST., NEW YORK 16, N. Y.

EXERCISE ANY 5 CONSECUTIVE WEEKS BETWEEN
JUNE 23 AND AUGUST 16, 1952

JUDGMENT ABOUT
AUGUST 26, 1952

A LARGE SHOPPING CENTER

CLASS A PROBLEM 5

Architectural Forum—Magazine of Building Prize

A GROUP PLAN FOR THE DECENTRALIZING AUTOMOBILE AGE IN WHICH WE LIVE. NOT ONLY WILL PARKING, PEDESTRIAN TRAFFIC AND SERVICE TRUCKING HAVE TO BE SOLVED, BUT APPEALING MERCHANDISING TECHNIQUES STUDIED FOR THE SHOPS THEMSELVES.

AUTHORS—BRUNO FUNARO, A.I.A., New York, N. Y., studied architecture and city planning in Rome and at Columbia University; where in 1936 he received his Master's degree in architecture. In 1948 he was awarded the McKim Fellowship in Columbia University, with a grant for a study leading to the book "Shopping Centers—Design and Operation," by Baker and Funaro. Mr. Funaro is a member of Howard T. Fisher & Associates, Architects, Planners and Industrial Designers.

HOWARD T. FISHER, A.I.A., Chicago, Illinois, studied architecture at Harvard University, starting his professional career in Chicago in 1928. In addition to the general practice of architecture, he has devoted a major portion of his professional efforts to a variety of projects in the construction field requiring special study and investigation. Research assignments of this character have included work on housing and on building products, methods, shopping centers.

The owner of a suburban garden-apartment development, housing about 1000 families, has hired you as the architect for a shopping center which is to be built on a 39-acre plot reserved for that purpose at a corner of his development.

This shopping center is designed to serve the tenants of the garden-apartments and also to become the major shopping center for the fast growing middle-class residential district in which it is located. The owner, with the guidance of a market analyst and after preliminary negotiations with the potential key tenants, has prepared the preliminary list of stores and requirements attached to this problem.

You are engaged to prepare a preliminary design based on the requirements specified by the owner (minor variations being permissible). Your design is to give the owner and his associates an idea of what the shopping center is going to look like and also to give the rental agents attractive sales aids for their negotiations with prospective tenants.

The owner wishes to stress that this project is definitely of a preliminary nature; many changes will occur after the negotiations with the tenants are completed, but your project still has to give these tenants a clear realistic idea of the finished product. Therefore, while you are encouraged to concentrate your efforts on the overall conception of the plan, rather than on relatively minor details, you are also requested, using your skill and imagination and making whatever assumptions may be necessary, to give your rendition a finished appearance intended for the layman.

The owner has no preconceived ideas about the design of the center, but he feels that many of the existing shopping centers have not succeeded in solving the relationship of the different circulations: Shoppers arriving and departing in their autos, shoppers on foot doing their buying; and trucks servicing the stores. He finds another weakness in most of the existing centers in the link (or

rather the lack of a link) between the merchandise and the customers' parked cars. Parcel pick-up stations and auto-shopping techniques should be considered.

This project is being planned as a long-term investment. The owner realizes that the soundness and also the inventiveness of your design will have a great influence in the continuing success of the shopping center. You are requested to design the center in anticipation of the most progressive and forward looking merchandising techniques which the future is likely to produce.

STORE LIST AND REQUIREMENTS:

Type	Gross Ground Coverage in Sq. Ft. (Includes selling space and service space)
1. Department Store (branch of a major downtown store) 2-story and basement	80,000
2. Department Store (Sears, Roebuck type)	40,000
3. Women's Wear	4,000
4. Women's Wear	2,000
5. Lingerie	1,000
6. Children's Wear	3,000
7. Men's Wear	4,000
8. Family Shoes	2,000
9. Toys, Children's Furnishings	1,500
10. Fabrics	2,000
11. Drugs	3,500
12. Variety (5 & 10)	12,000
13. Radio and Television	1,500
14. Household Appliances	1,500
15. Florist	1,500
16. Books and Stationery	1,500
17. Jewelry and Gifts	1,500
18-22. Five Small Stores: (news, candy, etc. at 500 sq. ft. each)	2,500

23. Supermarket	10,000
24. Bakery	2,000
25. Delicatessen	1,500
26. Liquor	1,500
27. Restaurant	7,000
28. Tavern	1,000
29. Cleaners	1,500
30. Laundry	500

The following services may be accommodated either on a second floor or ground floor:

Doctors' Offices	15,000
Administration	1,500
Beauty Shop	1,500
Barber	1,000

Provide Also: One gas station with facilities for minor repairs; one children's day nursery (approximately 1500 sq. ft.) with outdoor playground; facilities for outdoor shows and exhibitions; public toilets; parking for 2000 customers' cars and 600 employees' cars.

Suggest location of sheltered bus stops along Avenues A and B. A central heating and air conditioning plant will be located in the basement. Plan of this does not need to be shown. Stores No. 2 thru No. 30 are to be one story and basement, except for the major department store, and those with a second floor for doctor's offices, administration, etc., as noted above.

REQUIRED: (Sheet size 31" x 40")

1. General Plan at Ground Floor level (scale 1" equals 100 feet). Indicate columns but omit layout in stores. Clearly label names and ground cover all stores. Indicate in different ways walls which are predominantly solid and those which are to be predominantly glazed. Include in this plan parking layout outline of landscaped areas.

2. Plans of all second floor spaces (scale 1" equals 100').

3. Bird's-eye perspective covering most of the and all of the buildings.

4. Three or more small explanatory sketches (perspectives, diagrams) helpful to explain the features of the project.

RECOMMENDED READING:


Shopping Centers by Baker & Funaro, Reinhold Publishing Corporation, 1951
Architectural Record

March 1951 (pgs. 121-131)
August 1949 (pgs. 110-135)
Architectural Forum

August 1950 (pgs. 106-121)
March 1949 (pgs. 114-124)

ADDITIONAL PRIZE:

Mr. Funaro will offer a copy of "Shopping Centers" thru the courtesy of the Reinhold Publishing Corporation, to the winning design.



CLASS A PROBLEM 5

AUTHORS - BRUNO FUNARO, NEW YORK N.Y.
HOWARD T. FISHER, CHICAGO

A LARGE SHOPPING CENTER
MAGAZINE OF BUILDING PRIZE-
ARCHITECTURAL FORUM

JURY OF AWARD - AUGUST 26, 1952

JACQUES DELAMARRE	DOUGLAS HASKELL	J. STANLEY SHARP
JOSE A. FERNANDEZ	MORRIS KETCHUM	WYNANT D. VANDERPOOL, JR.
ARTHUR S. DOUGLASS, JR.	MICHAEL M. HARRIS	

VISITOR: PROFESSOR STOUSLAND, MIAMI UNIVERSITY, OXFORD, O.

PARTICIPANTS:

OKLAHOMA AGRIC. & MECH. COLLEGE, STILLWATER, OKLA.
UNIVERSITY OF NOTRE DAME, NOTRE DAME, INDIANA

REPORT OF THE JURY - BY MORRIS KETCHUM, JR.

THE STUDENTS WERE GIVEN A CLEAR, CONCISE PROGRAM WHICH EMPHASIZED THAT THE MERCHANDISING FUNCTION OF A SHOPPING CENTER MUST BE SERVED BY WELL STUDIED TRAFFIC ROUTES FOR AUTOS, PEDESTRIANS AND TRUCKS. TOO MANY DID NOT REALIZE THAT A GOOD SOLUTION MUST BE BASED ON GOOD SITE PLANNING, WITH EVERY ELEMENT OF THE PROBLEM CLOSELY INTEGRATED. THE MAJORITY OF THOSE BELOW MEDAL CALIBRE DISREGARDED ONE OR MORE OF THE FOLLOWING IMPLIED BASIC REQUIREMENTS OF GOOD SHOPPING CENTER DESIGN:

1. PARKING SPACES SHOULD BE WELL DISTRIBUTED AROUND THE BUILDINGS, WITH MORE SPACES ALLOCATED TO THE LARGER RETAIL BUILDINGS, FEWER TO THE SMALL SHOPS AND SERVICE STORES.
2. PARKING AREAS SHOULD BE SERVED BY PERIMETER ROADWAYS LEADING TO A SERIES OF U-SHAPED AISLES LINED WITH 90 DEGREE CAR SPACES.
3. NO HIGH-SPEED ROADWAYS SHOULD BE LOCATED BETWEEN BUILDINGS AND PARKING SPACES WHERE FOOT TRAFFIC FROM THE PARKING LANES MUST CROSS THEM.
4. PEDESTRIAN TRAFFIC ROUTES FROM CAR SPACES TO BUILDINGS AND THEN FROM BUILDING TO BUILDING MUST BE KEPT AS SHORT AS POSSIBLE.
5. ONE-SIDED INTERIOR MALLS OR UNNECESSARILY WIDE MALLS CREATED MAXIMUM WALKING DISTANCES FOR FOOT TRAFFIC.
6. THE MAJORITY OF STORES SHOULD FACE ON THE INTERIOR MALL AND THOSE WITH ENTRANCES OR ALLEYS MUST BE EASILY FOUND.
7. RETAIL BUILDINGS HAVING THE GREATEST CUSTOMER PULLING POWER MUST BE SO LOCATED THAT SHOPPERS ON FOOT ARE KEPT ON THE MOVE PAST THE SMALLER RETAIL UNITS.
8. SHOPS AND STORES SELLING SIMILAR MERCHANDISE ARE BEST GROUPED TOGETHER.

ON THE OTHER HAND, BY USING AN UNDERGROUND TRUCK TUNNEL - A SIMPLE, EFFICIENT, THOUGH EXPENSIVE DEVICE - THE STUDENTS WERE ABLE TO SOLVE SUCCESSFULLY, SERVICE TRUCK TRAFFIC.

THE JURY FELT THAT GOOD SITE PLANNING WAS THE FIRST CONSIDERATION, GOOD BUILDING DESIGN THE SECOND, AND WELL STUDIED DETAIL THE FINAL CONSIDERATION IN APPRAISING EACH ENTRY. IN GENERAL, IT WAS DISAPPOINTING THAT SO MANY ENTRIES SACRIFICED TRAFFIC CONTROL AND PARKING DISTRIBUTION TO SOME ECCENTRIC BUILDING LAYOUT OR ELSE FAILED TO GRASP THE IMPORTANCE OF LOGICAL STORE LOCATIONS ALONG THE MALL. AWARDS WERE GIVEN TO THOSE FEW ENTRIES WHICH MOST SUCCESSFULLY SOLVED EVERY ELEMENT OF THE PROBLEM.

THE ARCHITECTURAL FORUM FIRST PRIZE AND FIRST MEDAL: E. R. HOERMANN, OKLAHOMA A. & M. COLLEGE: AN EXCELLENT OVERALL PLAN, WITH GOOD PARKING DISTRIBUTION, SHOPPING TRAFFIC ROUTES AND BUILDING LOCATIONS, WON THIS ENTRY ITS TOP AWARD. THE CENTRAL MALL WAS GIVEN AN ATTRACTIVE ASYMETRICAL TREATMENT. THE JURY WAS CRITICAL OF SOME DETAILS - TOO MANY STORE FRONTS FACED THE PARKING AREAS AS WELL AS THE MALL, PARKING ARRANGEMENTS COULD HAVE BEEN IMPROVED. THEY FELT, NEVERTHELESS, THAT THIS SOLUTION WOULD PRODUCE AN ATTRACTIVE, EFFICIENT CENTER WITH GREAT POSSIBILITIES FOR FINAL DEVELOPMENT.

ARCHITECTURAL FORUM SECOND PRIZE AND FIRST MEDAL: G.F.O'BRIEN, OKLAHOMA A. & M. COLLEGE: THIS ENTRY HAD THE SAME GOOD POINTS AS THE PREVIOUS ONE AND THE SAME WEAKNESSES. THE MALL ARRANGEMENT WAS LESS INTERESTING, ALTHOUGH ITS STARK RECTANGULARITY WAS RELIEVED BY TWO SMALL, FREE-STANDING BUILDINGS CONTAINING SMALL STORES. SOME OF THE JURY FELT THAT THESE SMALLER BUILDINGS MIGHT HAVE BEEN IMPROVED IN LOCATION HAD THEY BEEN PULLED AWAY MORE TOWARD THE CENTER OF THE MALL.

SECOND MEDAL - B.R.COLEY, OKLAHOMA A. & M. COLLEGE: THE DESIGN OF INDIVIDUAL BUILDINGS IN THIS SOLUTION WAS DISTINGUISHED BY LOGICAL STRUCTURE AND ATTRACTIVE DETAIL. THE VARIETY OF SHAPES AND SIZES IN ITS SHOPPING COURTYARDS WAS ALSO CONSIDERED A VALUABLE ASSET. ONLY THE FACT THAT PARKING AREAS WERE POORLY DISTRIBUTED AND THAT SOME OF THE SMALL STORE UNITS WERE VERY BADLY LOCATED ON OBSCURE ALLEYS PREVENTED THE JURY FROM GIVING THIS ENTRY ONE OF THE PRIZE AWARDS.

SUMMARY OF AWARDS:

2 FIRST MEDAL 1 SECOND MEDAL 2 MENTION 10 NO AWARD 15 TOTAL

OKLAHOMA A. & M. COLLEGE: FIRST MEDAL- E.R.HOERMANN, FIRST PRIZE, G.F.O'BRIEN, SECOND PRIZE. SECOND MEDAL- B.R.COLEY. MENTION- V.M.PILAND, J.B.WALTON.

INDEX OF REPRODUCTIONS:

CLASS A PROBLEM 5 - A LARGE SHOPPING CENTER

AUGUST 26, 1952 ARCHITECTURAL FORUM - MAGAZINE OF BUILDING PRIZE

80. E.R.HOERMANN, OKLAHOMA A. & M. COLLEGE
81. G.F.O'BRIEN, OKLAHOMA A. & M. COLLEGE
82. B.R.COLEY, OKLAHOMA A. & M. COLLEGE

FIRST MEDAL, FIRST PRIZE
FIRST MEDAL, SECOND PRIZE
SECOND MEDAL

BEAUX-ARTS INSTITUTE OF DESIGN

DEPARTMENT OF ARCHITECTURE

1951-1952 FIFTY-NINTH SCHOOL YEAR

115 EAST 40th ST., NEW YORK 16, N. Y.

EXERCISE ANY 5 CONSECUTIVE WEEKS BETWEEN
JUNE 23 AND AUGUST 16, 1952

JUDGMENT ABOUT
AUGUST 26, 1952

A MANUAL SKILLS ANNEX FOR AN EXISTING HIGH SCHOOL

CLASS B PROBLEM 5

THE PROBLEMS OF VERTICAL PLANNING, DIFFERENT STORY HEIGHTS, MACHINE SHOPS, CLASSROOMS, OFFICES, ETC., ARE TO BE STUDIED IN THIS EXAMPLE OF INSTITUTIONAL ARCHITECTURE TO BE BUILT IN CONNECTION WITH A LARGE PUBLIC HIGH SCHOOL.

AUTHOR—PHILIP WILL, JR., Chicago, Illinois, was graduated from Cornell's School of Architecture in 1930; where he received the Shreve, Lamb and Harmon Fellowship, and entered partnership with Lawrence B. Perkins in 1935. The firm presently has offices in Chicago and White Plains, N. Y. and is best known for its school work. Mr. Will is active in the A.I.A., having served as Director of the Chicago Chapter; he is a Fellow of the Institute and is a visiting critic for several architectural schools.

PROBLEM:

The Board of Education in a large city proposes to build an annex for one of its High Schools. The High School in question is an old but well-maintained building located in a built-up area of the city where land is at a premium and population density is high. In line with current educational theory, the Board recognizes:

- 1) That High School graduates need training in the manual arts, an appreciation of manual skills, and an understanding of their place in our society;
- 2) That such training is important not only to those students who enter the "trades" as a means of livelihood but also to those who eventually seek further academic training leading to a profession, management, white collar work or even housekeeping;
- 3) That true vocational training is now best conducted by industry and the trades themselves.

The Board also is aware that the adult population of the community has increased leisure time and wishes to use the same facilities provided for the students to develop hobbies and new skills, space and equipment for which they cannot afford individually in their own home.

Our project, therefore, is the design of a Skills Annex for the High School to satisfy the needs stated above.

THE SITE:

The property is level. It is 101' deep and its 153' frontage faces east on a street of mixed commercial and apartment development. The east property line is a 12 foot sidewalk and the west a 25' alley. The building to the north is built along the entire 101' property line and its south wall is 22' high of unpierced brick.

The existing High School on the south property line consists of a basement plus 3 stories, is 70' deep and is set back approximately 5' from the east property line. The open area between the present school building and the alley may not be built upon.

The new annex shall be planned as a separate structure, therefore a connecting passageway to the existing High School need not be considered as part of the problem.

PROGRAM:

The Board of Education (client) leaves to the discretion of the architect the number of floors to be built. It has requested, however, that as much land as possible be left open and landscaped in order to contrast with the otherwise congested city area.

Elements:

The building is to be comprised of the following (areas given are approximate net requirements; a variation of plus or minus 10% will be allowed):

- (1) A building trades shop (2000 sq. ft.)—
To include area for household wiring and electrical repair problems—rough carpentry, masonry, etc., tools, project storage, stock and office.
- (2) A general woodwork shop (2000 sq. ft.)—
Tools, tables, project storage, stock, office.
- (3) A metal shop (2000 sq. ft.)—
Integrated areas for forge, foundry, sheet metal and machine metal instruction, stock project storage, office.
- (4) Auto mechanics instruction area (1000 sq. ft.)—this area must be on ground floor so that an automobile may be driven in. Direct access.
No pits, but chain hoist, equipment for vulcanization etc., generator, tool storage. Direct access to metal shop.
- (5) Finishing rooms (200 sq. ft. each)—
One with access to general woodwork shop; other with access to metal shop.
- (6) A theory, display and planning classroom (600 sq. ft.)
- (7) Graphic arts workshop (2000 sq. ft.)—
To house such equipment as linotype, press, cutter, composing, binder, type storage, mimeo, paper stock for convenient use.
- (8) Photographic workshop (1000 sq. ft.)—
Studio space, equipment storage, dark room for printing and photogram work, dark closets for developing.
- (9) Combined product design and drafting room (possible use for commercial art) (700 sq. ft.)
- (10) Visual aid, lecture and meeting room to seat 120.

- (11) A small library reference room (400 sq. ft.)
- (12) Toilet and washing facilities.
- (13) Janitors storage, tool and equipment maintenance at the discretion of the designer.
- (14) Lounge(s) for students and evening adult groups.
- (15) First aid room.
- (16) Receiving room.
- (17) Lobbies, corridors, other circulation, etc.

All additional services such as lunch room, school store, teachers rooms, heating plant, etc., are assumed to be located in the adjacent existing school building. Note, however, that for evening adult classes the new Skills Annex may be operated independently.

DISCUSSION:

The Annex is scheduled to house as many as 200 students (about 150 boys and 50 girls) at any given time during a full program of use. This is exclusive of the large lecture room. Display facilities as an integral part of the design are desired. Each workshop is to be designed for twenty students. All parts of the shops should be visible to the instructor. Adequate teacher supervision is necessary at all times. The ceiling height of workshops may vary with the size and character of the shop. Constant high level lighting in all shop areas is important both day and night.

All practice in manipulative skills will be accompanied by inculcating an awareness of the relationship of those skills to each other and to academic bases. As a furtherance to this there should be an integration of related shops, such as auto shop and metal shop—graphic arts and drafting room—photographic shop and graphic arts.


The product design room will be used as a central planning room so that projects conceived by the individual student designers can be planned here and can be made in mock-up or model in the various shops thus utilizing the school's facilities for translating a concept into a reality. This means that there must be easy access for interchange of students' raw materials and projects from one area of endeavor to another both vertically and horizontally. It is essential to obtain the best inter-relationships of the various shops in the vertical development forced by the restricted site. Attention should be given to traffic pattern and arrangement for materials delivery all with regard for fire safety.

The equipment mentioned for the various instruction areas need not be indicated in detail, however the equipment should be kept in mind at all times when planning the larger spaces.

REQUIRED: (sheet size 31" x 40") 1A36

1. Plan of entire site at grade at 1/16" scale.
2. Plan of other floors not included in above scale.
3. The two most important elevations at 1/16"
4. Section at 1/16" scale.

WISCONSIN & ILLINOIS STATE PLANNING



REFERENCE BIBLIOGRAPHY:

- Vocational Schools—Architectural Record, Vol. 81, 1940, pp. 87-114
- Planning and Equipping Industrial Arts Laboratories—American School and University 1939, pp. 508
- Program and Equipment for Industrial Education—Progressive School—American School and University 1937, pp. 485 to 489
- Shop Planning Principles—American School and University 1935, p. 349
- Planning the School Shop—Bruce's 1932 School Shop Annual, Bruce Publishing Company, Milwaukee
- Some Principles Underlying Shop Equipment and Operation—Bruce's 1932 School Shop Annual, Bruce Publishing Company, Milwaukee

CLASS B PROBLEM 5 A MANUAL SKILLS ANNEX FOR AN EXISTING HIGH SCHOOL
AUTHOR - PHILIP WILL, JR., CHICAGO, ILL.

JURY OF AWARD - AUGUST 26, 1952

JACQUES DELAMARRE	HARMON H. GOLDSTONE	MORRIS KETCHUM, JR.
ARTHUR S. DOUGLASS, JR.	MICHAEL M. HARRIS	J. STANLEY SHARP
JOSE A. FERNANDEZ		WYNANT D. VANDERPOOL, JR.

PARTICIPANTS:

OKLAHOMA A. & M. COLLEGE	UNIVERSITY OF NOTRE DAME
SAN FRANCISCO ARCHITECTURAL CLUB	UNAFFILIATED - MILWAUKEE, WISC.

REPORT OF THE JURY - BY JACQUES L. DELAMARRE

IN JUDGING THE SUBMISSIONS, THE JURY FELT THAT THE THREE MOST IMPORTANT ELEMENTS OF THE PROGRAM WERE AS FOLLOWS:

- A. MAXIMUM GROUND AREA TO BE LEFT OPEN;
- B. PROPER INTER-RELATIONSHIP OF THE GROUPING OF DEPARTMENTS;
- C. GOOD LIGHTING, AIR AND CIRCULATION.

THE MAJORITY OF THE PROBLEMS WERE FAIRLY WELL HANDLED, SHOWING IMAGINATION, STUDY AND THOUGHT. IT WAS THE OPINION OF THE JURY THAT THE MOST LOGICAL SOLUTION OF THE PROBLEM WAS A THREE-STORY BUILDING, WHICH RESULTED IN A SUFFICIENTLY OPEN GROUND FLOOR AREA AND A REASONABLE GROUPING OF DEPARTMENTS ON EACH OF THE THREE FLOORS. A TWO-STORY AND BASEMENT PLAN DID NOT APPEAR TO BE A SUCCESSFUL SOLUTION. COMPLICATIONS IN PROVIDING RAMPS AND DRIVEWAYS FOR THE AUTOMOBILE SHOP AND RECEIVING ROOMS WOULD DEFINITELY PRECLUDE SUCH A SOLUTION. A TWO-STORY BUILDING OCCUPIED TOO MUCH OF THE LOT AREA AND CREATED AN OVER-LAPPING OF GROUPING OF DEPARTMENTS. A FOUR-STORY BUILDING DID NOT SEEM ECONOMICALLY SOUND SINCE IT NECESSITATED PROVIDING A PASSENGER ELEVATOR WHICH WOULD BE AN ADDITIONAL CONSTRUCTION AND MAINTENANCE EXPENSE.

IT WAS FELT THAT THE GROUPING OF THE VISUAL AID ROOM, LIBRARY, CLASSROOM AND LOUNGE ROOM WAS HIGHLY DESIRABLE, ESPECIALLY NEAR THE ENTRANCE TO THE BUILDING, OR ELSE EASILY ACCESSIBLE FROM THE LOBBY BY A STAIR, THEREBY PERMITTING PEOPLE TO AVAIL THEMSELVES OF THESE ROOMS WITH A MINIMUM AMOUNT OF CIRCULATION AND WITH THE LEAST DISTURBANCE TO THE REST OF THE BUILDING.

LIGHT AND AIR BEING, OF COURSE, A HIGHLY IMPORTANT ITEM IN A BUILDING OF THIS TYPE, EVERY EFFORT SHOULD HAVE BEEN MADE TO OBTAIN A MAXIMUM FROM THE FRONT AND REAR WALLS. DUE TO THE PROXIMITY OF ADJOINING BUILDINGS TO EITHER SIDE, THE LIGHT AND AIR AVAILABLE FROM THOSE ELEVATIONS WOULD BE LIMITED. FULL ADVANTAGE OF THIS NATURAL LIGHT SHOULD HAVE BEEN TAKEN AND ROOMS REQUIRING LIGHT LOCATED ACCORDINGLY, BUT IN NO EVENT WASTED ON CORRIDORS OR UNIMPORTANT ROOMS.

GOOD CIRCULATION FROM ONE DEPARTMENT TO ANOTHER IS VITAL IN THE PROPER OPERATION OF THIS TYPE OF BUILDING. NO DEPARTMENT SHOULD HAVE BEEN MADE ACCESSIBLE ONLY BY GOING THROUGH ANOTHER DEPARTMENT.

FIRST MENTION PLACED - C.H.PASEUR, OKLAHOMA A. & M. COLLEGE: THREE-STORY BUILDING, WELL PLANNED, GOOD CIRCULATION. VISUAL AID ROOM WELL LOCATED. GOOD GROUPING OF ELEMENTS. GOOD LIGHT AND AIR AND WELL DESIGNED. RECEIVING DOCK FOR DELIVERIES SHOWS THOUGHT. LOUNGE ROOM ON SECOND FLOOR MIGHT HAVE BEEN BETTER LOCATED ADJACENT TO THE VISUAL AID ROOM ON GROUND FLOOR.

FIRST MENTION PLACED - H.H. BALL, OKLAHOMA A. & M. COLLEGE: THREE-STORY BUILDING WELL DESIGNED AND PRESENTED. GOOD PLAN AND CIRCULATION. MAXIMUM LIGHT AND AIR WHERE NEEDED. GOOD GROUPING. STORAGE AND LOCKER SPACE UNDER WINDOW-SILL SHOWS INGENUITY. DISPLAY ROOM WITHIN VIEW OF PEDESTRIANS ON GROUND FLOOR WELL THOUGHT OUT. VISUAL AID ROOM LOCATED ON THE FIRST FLOOR FOR EASIER ACCESS TO STREET MIGHT HAVE BEEN MORE DESIRABLE.

FIRST MENTION - J.L.SCEARCE, OKLAHOMA A. & M. COLLEGE: THREE-STORY BUILDING WELL DONE GENERALLY, ALTHOUGH THE USE OF THE FRONT WALL FOR WASHROOMS AND BLANK WALLS NOT GOOD PLANNING. MAXIMUM ADVANTAGE OF NATURAL LIGHT FOR PROPER DEPARTMENTS WOULD HAVE BEEN MORE DESIRABLE. GOOD CIRCULATION, WELL DESIGNED AND PRESENTED.

FIRST MENTION - E.M.TODD, OKLAHOMA A. & M. COLLEGE: THREE-STORY BUILDING WELL DESIGNED, ALTHOUGH INVOLVED IN DETAIL. GOOD GROUPING, GOOD CIRCULATION. THE USE OF BLANK WALLS AND THE PLACING OF UTILITIES ALONG THE FRONT WALL WASTEFUL OF LIGHT AND AIR. USE OF WINDOWS IN CERTAIN DEPARTMENTS OF THE NORTH WALL OPENING ON A COURT SEEKS INADEQUATE IN VIEW OF THE FACT THAT THE FRONT WALL OF THESE DEPARTMENTS ARE BLANK WALLS. LANDSCAPED GARDEN AREA EXTENDING UNDER A PORTION OF THE SECOND FLOOR INTERESTING.

SUMMARY OF AWARDS:

2 FIRST MENTION PLACED 2 FIRST MENTION 4 MENTION 7 NO AWARD 15 TOTAL

OKLAHOMA A. & M. COLLEGE: FIRST MENTION PLACED- H.H.BALL, C.H.PASEUR;
FIRST MENTION- E.M.TODD, J.L.SCEARCE. MENTION- L.O.BASS, A.D.CHU,
W.C.THOMAS.

UNIVERSITY OF NOTRE DAME: MENTION-J.RICHMOND.

INDEX OF REPRODUCTIONS:

CLASS B PROBLEM 5 - A MANUAL SKILLS ANNEX FOR AN EXISTING HIGH SCHOOL
AUGUST 26, 1952

83. C.H.PASEUR, OKLAHOMA A. & M. COLLEGE	FIRST MENTION PLACED
84. H.H.BALL, OKLAHOMA A. & M. COLLEGE	FIRST MENTION PLACED
85. J.L.SCEARCE, OKLAHOMA A. & M. COLLEGE	FIRST MENTION
86. E.M.TODD, JR. OKLAHOMA A. & M. COLLEGE	FIRST MENTION

REPRODUCTIONS OF WORK OF THE CURRENT SCHOOL YEAR
AVAILABLE AT 50 CENTS A PRINT: REPORTS AT 15 CENTS EACH.
REPORTS AND REPRODUCTIONS OF WORK OF ANY PREVIOUS SCHOOL YEAR
IF AVAILABLE, ARE \$1.00 PER REPRODUCTION OR PRINT.

BEAUX-ARTS INSTITUTE OF DESIGN

DEPARTMENT OF ARCHITECTURE

1951-1952 FIFTY-NINTH SCHOOL YEAR

115 EAST 40th ST., NEW YORK 16, N. Y.

EXERCISE ANY 5 CONSECUTIVE WEEKS BETWEEN
JUNE 23 AND AUGUST 16, 1952

JUDGMENT ABOUT
AUGUST 26, 1952

A MOTEL (A TOURIST CAMP)

CLASS C PROBLEM 5

A PROBLEM IN SITE PLANNING, CONSIDERATION TO BE GIVEN PRIMARILY TO THE ARRANGEMENT OF THE VARIOUS ELEMENTS OF THE PLAN, CIRCULATION AND TRAFFIC CONTROL.

AUTHOR—FREDERIC ARDEN PAWLEY, Washington, D. C. is a registered architect who has been engaged for many years in architectural research and its communication. He has published over fifty technical articles including the Building Type Study on Motels in the Architectural Record for March 1950. He is now research secretary for the American Institute of Architects and a contributing editor of the Architectural Record.

PROBLEM:

The design of a motel along a highway.

LOCATION:

The actual location is to be selected by each designer and designated on a section of a road map which shows the proximity of major towns, and the advantages of the site selected.

SITE:

It may be assumed that the site is level, adequately drained, has a scenic view, and will have a 700 foot frontage on the highway with a depth of 600 feet.

BUILDINGS:

The motel is to consist of:

20 rental units: bed-sitting room, bath, closet without door, each	250 sq. ft.
Porch or terrace not included in unit area	
Private office	100 sq. ft.
Lounge: front desk; telephone booths	240 sq. ft.
Manager's apartment: living room, dining space, kitchen, one bedroom, bath closets	900 sq. ft.
Linen and supply room: clean linen, soiled linen	200 sq. ft.
Maintenance shop and storage	250 sq. ft.

No filling station, restaurant, or special recreation facilities are to be included in this project.

REQUIRED: (sheet size 31" x 40")

Road map identifying location of site. Indicate north point.

Site plan at the scale of 1" equals 20'. Show complete driveways, parking and walk layout, entrance to the site, and location of buildings in block outline.

1/8" scale elevation or perspective of the highway entrance to the motel site.

REFERENCES:

Motels—Architectural Record, March 1950: pg. 110-131, 190—included bibliography.

How to Build & Operate Motor Courts & Highway Hotels—80 pg.; plans; sketches, photos, included Architectural Record Article—available from Ahrens Publishing Co., 71 Vanderbilt Ave., New York 17, N. Y. for \$1.25.

Time-Saver Standards—Architectural Record, 2nd edition, 1950; parking and driveway data pg. 555.

Architectural Graphic Standards—John Wiley, 4th edition, 1951; parking and driveway data pg. 476-486.

Motels (a chain and an individual job)—Architectural Record, July 1951: pg. 119-126.

BEAUX-ARTS INSTITUTE OF DESIGN

DEPARTMENT OF ARCHITECTURE

1921-1922 FIFTH-NINTH SCHOOL YEAR

115 EAST 40TH ST., NEW YORK 16, N.Y.

JUDGMENT ABOUT
AUGUST 3rd, 1922

EXERCISE AND A CONSECUTIVE WEEKS BETWEEEN
JUNE 23 AND AUGUST 1st, 1922

CLASS C PROBLEM 2

A MOTEL (A TOURIST CAMP)

A PROBLEM IN SITE PLANNING, CONSIDERATION TO BE GIVEN PRIMARILY
TO THE ARRANGEMENT OF THE VARIOUS ELEMENTS OF THE PLAN, CRITICAL
CALCULATION AND TRAFFIC CONTROL.

AUTHOR—FREDERIC ARDEN PALMER, *Architect*, D.C. is a landscape architect.
He has been engaged for many years in landscape design and site con-
struction. He has participated over fifty years in the planning and building
of the buildings on Motor Inn in the Architectural Record for March 1920. He is now in
charge of the American Institute of Architects and a consulting architect
of the Architectural Record.

No filling station, resthouse, or special location
facilities are to be included in this project.

PROBLEM:

The design of a motel should a playground?

REQUERED: (sheet size 31" x 40")
Road map indicating location of site. Indicate route
points.
Site plan at the scale of 1". Sheet 30. Site a town
divided by a highway and walk layout, surface to the site,
and location of buildings in block outline.
1/8" scale elevation or perspective of the highway
surface to the site.

LOCATION:

The selected location is to be selected by each designer
and designated on a section of a road map which shows
the proximity of motor towns, and the advantages of the
site selected.

SITE:

It may be assumed that the site is level, sandy soil
drained, has a scenic view, and will have a 200 foot
frontage on the highway with a depth of 500 feet.

BUILDINGS:

REFERENCES:
Motels—Architectural Record, March 1920; p. 110-131.
180—Inclusive Pictorial.
How to Build & Operate Motor Courts & Highway Hotels
—80. *bd.* buses, stages, porches, including Archi-
tectural Record Article—available from American Pub-
lishing Co., 31 Vanderbilt Ave., New York 17, N.Y.
for \$1.25.
Time-Saver Standard—Architectural Record, 2nd edi-
tion, 1920; showing and drawing \$10.00. 25c.
1921—Bridging and drainage \$10.00. 45c.
Motels; 19, cheap and unique, no individual job—Architectural
Record, July 1921; p. 110-128.

The motel is to consist of:
20 laundry units; bed-sitting room, bath,
closet, window, door, each
250 sq. ft.
100 sq. ft.
240 sq. ft.
Linen and supply room; telephone booths
Managers' apartment; living room, dining
space, kitchen, one bedroom, bath closet
200 sq. ft.
250 sq. ft.
Minimum size shop and storage

SUPPLEMENTAL RESEARCH DATA

ADDED TO BE CONSIDERED IN MOTOR DESIGN
SUBMITTED BY THE AUTHOR—FREDERIC A. RAMFELT

Check-in/guests promptly and safely and quickly
Giving local information as food, travel, etc.
Subsidizing motor
Checking motor service each A.W.
Providing linen and supplies in location for use
Check-in for guests—utility and piping will
Site convenience
Building supplies

ITS:
Site Planning Factors: Building—Planning—Divisions—Walls
• Porch
• 3'-0" x 8'-0" unit doors
• Porch stairs
• Enclosed driveways and basements
• To offices [local temporary basements]
To building closely related units
• Fixtures

Avoid lack of headlights across pedestrian area
Outdoor parking common in less severe climates
See auto classification for driveway and
Sign details
Auto Classification:
Effect on building and divisions:
Cars very closely in dimensions site requirements
Following stairs and clearances site requirements
Parallel parking: 23', wide 8' deep
• 20°. backfire: 8'0", wide x 18' deep
30' distance between parallel
• 45°. backfire: 12', wide x 16' deep
of 45°. backfire
• Curved drives: 20', minimum radius for turn
TOR PARK.

Location:
• Major route
• Residential: of fast moving traffic (average day's rate)
to city (most traveled route and longer
size of city)
to highway (for easy access)
• Location requires careful analysis, proceeding from
longer distances and consideration of upon
proximity to site

Access:
• Suburban structures for garage cast: 90 mph—400 ft.
40 mph—200 ft.
• Direct easy access from path directions of traffic freely
• Double-line highways must have crossover
• Separation of traffic, one way, by driveway space for auto
and off road mobility
• No separation of vision

ED A BROAD APPROACH TO THE SPECIFIC DETAILS.
Classification Patterns and Controls:
Two main daily circulation patterns:
• Garage in cast—driveway, backfire and, leading (unit of
scale is the single) residence with minor and low supplies
• Utility service and dormitory (10 units/way)
and clean and separate (10 units/way)
(Minimum interior insulation and minimum work load
from exterior, but subject to continuing needs
circumstances, such as change of ownership or
politics, due to multi-unit structure [block].)

Control Patterns for Manager Involvement:
• Service desks directly to peak time each P.M.
• Avoiding saliently to low

THE PRACTICAL APPEAL. THE EXCESSIVE ROADWAYS AND THE LACK OF COVERAGE

THE CONTROL POINT TO WHAT SEEMED AN UNREASONABLE DEGREE, AND FORCING

SUPPLEMENTAL RESEARCH DATA

FACTORS TO BE CONSIDERED IN MOTEL DESIGN,
PREPARED BY THE AUTHOR—FREDERIC A. PAWLEY.

Location:

- Means money
- Relationship: to last overnight stop (average day's run) to city (most traveled route and proper side of city)
to highway (for easy access)
- Location requires careful analysis, proceeding from large regional aspect and consideration of urban proximity to the site.

Access:

- Stopping distances for average cars: 60 mph—400 ft.
40 mph—200 ft.
- Ideal easy access from both directions of traffic rarely possible
- Dual-lane highways must have crossover
- Separate entrance and exit driveways eased for turning off and merging for exit
- No obstruction to vision

Circulation Patterns and Control:

Two main daily circulation patterns:

- Guests in cars—arriving, parking and leaving (unit of scale is the automobile)
- Unit servicing—maids with linen and room supplies and cleaning equipment (10 units/maid)
(Management inspection and maintenance work, regularly recurring operations, not requiring separate circulation study except for convenient location of office and maintenance shop.)

Control Problems for Manager Involve:

- Serving guests quickly at busy time each P.M.
Assigning satisfactory room

Check-in guests promptly and taking payment
Giving local information on food, travel, etc.

- Supervising motel
Checking maid service each A.M.
Providing linen and supplies in location for co-use
Inspecting units to assure readiness for guests
Checking for repairs—utility and building maintenance
Site maintenance
Buying supplies

Site Planning Factors:

Buildings—Parking—Driveways—Walks

- Plan types
2-4-6-8-10 unit groups
Parallel rows
L-shape, U-shape, Irregular
- Planning driveways and parking:
To office (local temporary parking)
To parking closely related to rental unit
To exit
Avoid rake of headlights across bedroom windows
Outdoor parking common in less severe climates
See auto characteristics for driveway and parking sign data
- Auto Characteristics:
Effect on parking and driveways:
Cars vary greatly in dimensions and maneuverability
Following areas and clearances are recommended
- Parallel parking: 22' wide 8' deep
- 90° parking: 8'6" wide x 18' deep
30' traffic clearance between rows of 90° parking
- 45° parking: 12' wide x 16' deep
15' traffic clearance between rows of 45° parking
- Curved drives: 20' minimum radius for inner turns

CLASS C PROBLEM 5

AUTHOR - FREDERIC ARDEN PAWLEY, WASHINGTON, D.C.

A MOTEL (A TOURIST CAMP)

JURY OF AWARD - AUGUST 26, 1952

LEOPOLD ARNAUD
WALKER O. CAIN

ALONZO W. CLARK, III
DOUGLAS HASKEL

HAROLD RAMBUSCH
MAURICE R. SALO

PARTICIPANTS:

OKLAHOMA A. & M. COLLEGE

SAN FRANCISCO ARCHITECTURAL CLUB

UNIVERSITY OF NOTRE DAME

UNAFFILIATED - NEW YORK CITY

REPORT OF THE JURY - BY WALKER O. CAIN

THIS PROGRAM DREW A COMPLETE SPECTRUM OF ENTRIES, RANGING FROM WHAT WAS OBVIOUSLY A FIRST ATTEMPT AT A CLASS C PROBLEM TO A FINAL SUBMISSION BEFORE GOING ON TO CLASS B. THE PROGRAM WAS ONE BASED ON A STUDY OF SETTING AND CIRCULATION ONLY, AND REQUIRED A BROAD APPROACH TO THE SPECIFIC DETAILS. THE DESIGNERS OF THE BETTER ENTRIES REFUSED TO BE LOST IN DETAILS, AND MET THE REQUIREMENTS IN THEIR SIMPLEST TERMS. THE LESSER ONES EITHER REPRODUCED THE WORST EXAMPLES OF EXISTING TOURIST SHACKS OR, IN STRIVING FOR SOMETHING DIFFERENT, MAY HAVE CONTRIVED SOMETHING WORSE.

THE JURY GAVE TOP AWARD TO A DESIGN THAT UPON THE FIRST REVIEWING, WAS ONE OF THE MOST INCONSPICUOUS ENTRIES. J. KILIAN'S (UNIVERSITY OF NOTRE DAME) SIMPLY PRESENTED, BUT NOTABLY WORKABLE SCHEME WAS AWARDED FIRST MENTION. IT FEATURED AN EASILY CONTROLLABLE, EXCELLENTLY DISPOSED ARRANGEMENT OF STRUCTURES, ALL OF WHICH ENJOYED MAXIMUM VIEW AND PRIVACY, WITH NO DISTURBANCE FROM THE DRIVEWAY OR HIGHWAY. IT COULDN'T HAVE BEEN SIMPLER.

A.A.ORR, OKLAHOMA A. & M. COLLEGE - FIRST MENTION: SUBMITTED A BEAUTIFULLY PRESENTED PROPOSAL, DISTRIBUTED HANDSOME CABIN GROUPS IN A PLEASING MANNER, BUT INTERRUPTED THE VIEW FROM THE ROOMS WITH THE INTERIOR DRIVEWAY. SINCE THIS WAS UNNECESSARY, AS DEMONSTRATED BY J.KILIAN, IT MILITATED AGAINST THIS SUBMISSION. AS SOME COMPENSATION FOR THE DRIVEWAY, THIS SCHEME PROVIDED AN ATTRACTIVE INTERIOR PARK.

C.R.REED, OKLAHOMA A. & M. COLLEGE - MENTION: THIS ENTRY CAUSED CONSIDERABLE DISCUSSION, AND NARROWLY MISSED BEING GIVEN A HIGHER AWARD. THE PERIPHERAL ROAD, AS IN THE ORR ENTRY, WAS CONSIDERED UNDESIRABLE, ESPECIALLY SINCE IN THIS CASE ITS ONLY FUNCTION WAS TO SERVE ONE CARPORT. HOWEVER, THE LAVISH (IF UNGELED FOR) ROADSIDE DEVELOPMENT WAS HELD TO BE ATTRACTIVE TO MOTORISTS, AND THUS OF PRACTICAL APPEAL. THE EXCESSIVE ROADWAYS AND THE LACK OF COVERED WALKWAYS BETWEEN GARAGES AND ROOMS WERE EQUALLY DEPLORED.

OF THE NON-PREMIADED ENTRIES, G.LAREDO'S (NEW YORK CITY) HELD THE MOST PROMISE. HE GAVE HIS CABINS A MAXIMUM VIEW, UNMARRED BY THE DRIVEWAY, BUT ISOLATED THE CONTROL POINT TO WHAT SEEMED AN UNREASONABLE DEGREE, AND FORCED A MAJOR ROAD-BUILDING PROJECT ON THE MOTEL OWNER.

SUMMARY OF AWARDS:

2 FIRST MENTION 1 MENTION 5 NO AWARD 8 TOTAL SUBMITTED

OKLAHOMA A. & M. COLLEGE: FIRST MENTION- A.A.ORR. MENTION- C.R.REED.
UNIVERSITY OF NOTRE DAME: FIRST MENTION- J.KILIAN.

INDEX OF REPRODUCTIONS:

CLASS C PROBLEM 5 - A MOTEL (A TOURIST CAMP)
AUGUST 26, 1952

87. J.KILIAN, UNIVERSITY OF NOTRE DAME FIRST MENTION
88. A.A.ORR, OKLAHOMA A. & M. COLLEGE FIRST MENTION

REPRODUCTIONS OF WORK OF THE CURRENT SCHOOL YEAR
AVAILABLE AT 50 CENTS A PRINT: REPORTS AT 15 CENTS EACH.

REPORTS AND REPRODUCTIONS OF WORK OF ANY PREVIOUS SCHOOL YEAR
IF AVAILABLE, ARE \$1.00 PER REPRODUCTION OR REPORT.

BEAUX-ARTS INSTITUTE OF DESIGN

DEPARTMENT OF ARCHITECTURE

1951-1952 FIFTY-NINTH SCHOOL YEAR

115 EAST 40th ST., NEW YORK 16, N. Y.

EXERCISE ANY 9 CONSECUTIVE HOURS BETWEEN
JUNE 23 AND AUGUST 16, 1952

JUDGMENT ABOUT
AUGUST 26, 1952

ANNE B. LOUCHHEIM, N.Y.C.
Author & Publisher, 219 West

A POSTAGE STAMP

CLASS A SKETCH 5

EXCERPTS FROM A WELL KNOWN CRITIQUE ON THE DESIGN OF POSTAGE STAMPS BY THE AUTHOR, WILL ACCOMPANY THIS PROGRAM.

AUTHOR—ALINE B. LOUCHHEIM, New York, obtained a B.A. from Vassar in 1935 and an M.A. from the Institute of Fine Arts, New York University, in 1940. From 1944 to 1948, she was on the staff of Art News, the last two years as Managing Editor. Since 1948, she has been Associate Art Editor and Critic of *The New York Times*. She is author of *5,000 Years of Art, A Pictorial History* and has written articles which have appeared in *Atlantic Monthly*, *Vogue*, *Reader's Digest*, etc. She won first prize in the international competition for art criticism at the Venice Biennale in 1950.

PROBLEM:

It is assumed that the United States Postal authorities have decided to issue a new stamp for special delivery service.

It is the wish of the postal authorities that this stamp will convey with visual clarity the idea of the service—its speed, its availability throughout the United States, its to-the-door delivery, its cost. It is also expected that the design of the stamp will be of such high quality as to influence the whole field of philatelic art in America.

Designers are advised to bear in mind that United States stamps are engravings, and are urged to design for this technique. They are also reminded that their renderings will be reduced 16 times: legibility, clarity, scale, etc. should be conceived so as to be appropriate to the stamp's final size.

The final overall size of the stamp is to be 1-9/16" long by 1" high to the outside edge and there shall be

a blank margin of 1/16" wide from the edges of the engraving to the outside edge on all sides of the stamp.

The text required for the stamp is:

SPECIAL DELIVERY
AT ANY UNITED STATES POST OFFICE
UNITED STATES POSTAGE
20 CENTS

The typography should be carefully considered and should represent contemporary design. The numeral (20) MUST appear as a numeral, but, in addition, the word "twenty" MAY be written out. The stamp will be printed in monochrome; choice of color is considered to be part of the designer's problem.

REQUIRED: (Sheet size 22" x 30")

Rendering in monochromatic color of the stamp, enlarged to 16 times its actual size.

MANDATORY REQUIREMENTS AND REGULATIONS GOVERNING THIS PROBLEM ARE STATED IN THE CIRCULAR OF INFORMATION OF THE DEPARTMENT OF ARCHITECTURE FOR THE SCHOOL YEAR 1951-1952. A COPY WILL BE SENT ON REQUEST.

BEAUX-ARTS INSTITUTE OF DESIGN

DEPARTMENT OF ARCHITECTURE

1921-1922

FIFTY-NINTH SCHOOL YEAR

115 EAST 40TH ST., NEW YORK 16, N.Y.

JUDGMENT ABOUT

AUGUST 26, 1922

EXERCISE AND CONSECUTIVE HOURS BETWEEEN

JUNE 23 AND AUGUST 19, 1922

CLASS A SKETCH 5

A POSTAGE STAMP

EXCERPTS FROM A WELL KNOWN CRITIQUE ON THE DESIGN OF POSTAGE STAMPS BY THE AUTHOR, WILL ACCOMPANY THIS PROGRAM.

AUTHOR—ALINE B. LOUCHHEIM, New York, assistant to B.A. from August 1922 and as of 1948, now the Institute of Fine Arts, New York University in 1940. From 1944 to 1948, she was on the staff of Art News, the first two years as Managing Editor since 1948, she has been Associate Art Editor and Critic of the New York Times. She is author of 2,000 Years of Art, A Biennial History and her written articles which have appeared in Atlantic Monthly, Vogue, Readers Digest, etc. Since now this issue in art criticism to the value \$100.00.

PROBLEM:

It is assumed that the United States Post Office authorities have decided to issue a new stamp for special delivery service.

It is felt that it will be best to issue a stamp that will be used with visual clarity the idea of the service—its speed, its availability throughout the United States, its to-the-door delivery, its cost. It is also expected that the design of the stamp will be such that it will be of interest to Americans.

Designers are advised to bear in mind that United States stamps are durable, and are made of designs for this purpose. They are also intended to reflect the character of the country, its people, its cities, etc. Should be conceived so as to be applicable to the stamp's final size.

The final overall size of the stamp is to be 1-9/16".

The text required for the stamp is:

SPECIAL DELIVERY
AT ANY UNITED STATES POST OFFICE
UNITED STATES POSTAGE
20 CENTS

The typography should be carefully considered and should represent contemporary design. The number (20) should appear as a numeral, but in addition, the word MUST appear "MAY be written out. The stamp will be printed in monochrome; choice of color is considered to be best to the designer's pleasure.

REQUIRED: (Sheet size 22" x 30".)

Rendition in monochromatic color of the stamp, enlarged to 16 times its original size.

SUPPLEMENTARY DATA

EXCELSIOR FROM MISS ALICE B. TOMICHEW'S MELL KNOWN ARTICLE "OUR
MAGAZINE SECTION OF THE NEW YORK TIMES, MAY 25, 1921.

For Wissel's claim, black-and-white pictures are distinguished from color by being "more like a photograph." Mr. Roosevelt suggested a comparison with the Old English and gave as an example of the use of color in the case of a portrait, which is often a better picture than a black-and-white one. Moreover, it is often easier to identify a person in a colored picture than in a black-and-white one.

Fourth, there is the desirability of variety. A stamp with the same design on it is continually单调的. Even our whole

it seems strange to argue, as certain Post Office officials do, that less pictorial effects are more effective. Such effects are

innumerable. American and European stamps examine in this same way, according to the conclusions reached by our stamp issues in 1919. At the same time, however, it is difficult to find any two principles of design that are not repeated in some way. This is true of all American designs, and especially of those who have been issued since 1919. The Post Office Department and in our methods of

stamp size, 1" x 1-9/16". We shall show the importance of our stamps in 1921, this issue to the Treasury Department. At present, however, we have no open competition for stamp designs. The winning designs will be used in one of the few American stamps which are issued every year.

In 1921, the Government was interested in a competition to the Treasury Department. At present, however, we have no open competition for stamp designs. The winning designs will be used in one of the few American stamps which are issued every year.

There are, however, difficulties in America. Well-known designers; the techniques of the printing and engraving work involved in the Post Office Department are as simple to execute as any other post office stamp, or to conduct open to individualities. But until the department records that the

use of a stamp is a matter of interest to the public, and will stimulate the generally popularized and widespread interest, it is difficult to get a committee of experts, our stamps will continue to be as un-

likely to sell, but still a valuable possession, especially if it is a postage stamp. There is now need to sell the same as a postage stamp, but to post a stamp less than five cents is not likely. Stamps have been used to pay the tourist tax by showing them to the Moscow tourist authorities as they travel through towns which are not so much needed as the body-building Albs to advocate national products; or to collect postage by depicting scenes from the history of Russia, and to post a stamp less than five cents as this Russian postbox: ... Even our whole United Nations beauty stamp especially designed for postage and tour simili stamp is especially designed to be presented to the postmen readers.

To stamp collectors make a good impact and deserve attention. We, for instance, are the elements which lead to the Museum of Modern Art illustrations that are taken into consideration in order to create a postage stamp. They also serve to impress utility and safety.

But, this is the problem of taste. The stamp is well in itself and obviously leads to its elements which will be impressed into it, either for advertising or for minuscule.

Second, there is the element of interest. This is especially when repeated type design by presentation and simplicity. Then there will always be a stamp to make illustrations of depth, or a stamp to make illustrations of distance. But there is a difficulty in this respect, when the interest of the people is presented.

By the same token, the postage stamp is the element of the Post Office Department, which is to community uses, more stabilized than the three-dimensional, decorative, and artistic interests which are so popular in our times.

Third, there is the element of utility, a relationship of use. The stamp becomes the practical problem of individualization of image, number and letters. Mr. Roosevelt's composition utility in his designs a very successfully composed black, by certainly adjustment of tone, bases and masses.

But when President Franklin D. Roosevelt made a sketch based on Wissel's suggestion for a stamp (of) for the occasion of Mother's Day, the result was really as suc-

REPRODUCTIONS OF WORK OF THE CURRENT SCHOOL YEAR
AVAILABLE AT 50 CENTS A PRINT: REPORTS

SUPPLEMENTARY DATA

EXCERPTS FROM MISS ALINE B. LOUCHHEIM'S WELL KNOWN ARTICLE "OUR STAMPS 'COULD BE ARTISTIC,' TOO," WHICH APPEARED IN THE SUNDAY MAGAZINE SECTION OF THE NEW YORK TIMES, MAY 27, 1951.

These little adhesives, traveling even behind the Iron Curtain, are silent but effective ambassadors everywhere. Foreign countries have long been aware of the stamp as a persuasive instrument of national advertising and publicity. Stamps have been used to play up such local attractions as the Moscow subway and to bait the tourist trade by showing famous works of art or such scenery as the yodel-echoing Alps; to advertise national products; to attract sportsmen by depicting eager fish or wind-tossed sails; and to boast of such fascinating flora and fauna as this Liberian hippopotamus... Even our World organization recognizes the prestige of stamps. The United Nations recently announced that it will issue eleven postage and four airmail stamps especially designed for use on mail at its permanent headquarters.

So stamps admittedly make a bold impact and deserve attention. What, then, are the elements which lead to good or bad design? A traveling exhibition arranged by the Museum of Modern Art illustrates the answers to this question. Four problems must be taken into consideration in order to create a handsome stamp. They are: scale, flatness, unity and clarity.

First, the problem of scale. The stamp is small in area and obviously requires elements which will be in pleasing relationship to its size, neither too overpowering nor too minuscule.

Second, there is the element of flatness. Those designs which respect this quality by preserving and emphasizing it seem more successful than those which destroy it. The smallness of a stamp also seems to make illusions of depth uncongenial. Therefore, on two counts, there is something esthetically disturbing in a framed, illusionistic picture of a buffalo emerging from the distance... But there is a handsome and logical effect when the flatness of the paper is preserved...

By the same token, the profile silhouette of the low-relief medal type head, which is so commonly used, seems more satisfying than the three-quarter or full-face photographic images which are so popular in our issues.

Third, there is the element of unity, a requirement of any design. The stamp presents the special problem of integration of image, numerals and letters. Mr. Whistler managed a very successful compositional unity in his famous "An Arrangement in Grey and Black" by careful adjustment of tones, planes and masses.

But when President Franklin D. Roosevelt made a sketch based on Whistler's painting for a stamp (to honor the occasion of Mother's Day), the result was hardly as successful.

For Whistler's curtain, black-framed picture and arrangement of planes, Mr. Roosevelt substituted shaded background, the Old English and sans serifting and the vase of flowers, achieving a rather un-pictorial design. Moreover, it is questionable whether Whistler's Mother herself looks as well when reduced to Mom-size...

Fourth, there is the question of clarity. A stamp should show its purpose, its country and its denomination and directly...

It seems strange to argue, as certain Post Office Department officials do, that realistic effects are more popular than abstract symbols when the so-called produces... surrealist results...

Innumerable American and European stamps could be examined in this same way, leading to the inevitable conclusion that the design of our stamps is almost inferior to that of every other country. Almost every one of ours violates known principles of design. That is, clarity and effectiveness. They furnish potent arguments for those who hold that Americans lack artistic taste and good taste.

Why should the appearance of our stamps be deplorable? The reasons seem to lie in the attitude of the Post Office Department and in our methods of selection and execution.

In 1937 the Government was persuaded, under the auspices of the Treasury Department Art Project, to hold an open competition for stamp design. The winning entries resulted in one of the few American stamps which distinguished in every respect—the current United Presidential series...

There are expert graphic artists in America; there are well-trained designers; the technicians of the Bureau of Printing and Engraving are as able to execute a good design—and at the same cost. There is no reason to prevent the Post Office Department from appointing an advisory committee to be responsible for the design of our postage stamps, or to conduct open or invited competitions.

But until the department recognizes that the appearance of a stamp is a matter of international importance and will surrender its jealously guarded and unique esthetic prerogatives to such a committee of international experts, our stamps will continue to be an artistic diplomatic disgrace.

CLASS A SKETCH 5

AUTHOR - ALINE B. LOUCHHEIM, NEW YORK, N.Y.

A POSTAGE STAMP

JURY OF AWARD - AUGUST 26, 1952

LEOPOLD ARNAUD
WALKER O. CAIN
ARTHUR S. DOUGLASS, JR.

MICHAEL M. HARRIS
DOUGLAS HASKELL

HAROLD RAMBUSCH
MAURICE R. SALO

PARTICIPANTS:

OKLAHOMA A. & M. COLLEGE
UNIVERSITY OF NOTRE DAME
WESTERN RESERVE UNIVERSITY, CLEVELAND.

REPORT OF THE JURY - BY LEOPOLD ARNAUD

THE JURY CONSIDERED PRIMARILY DIRECTNESS AND SIMPLICITY OF DESIGN. SINCE THE PROGRAM CLEARLY INDICATED THAT THE DRAWING SUBMITTED WAS TO BE REDUCED TO STAMP SIZE, 1" X 1-9/16", OBVIOUSLY ONLY A VERY STRAIGHT-FORWARD DESIGN WOULD BE LEGIBLE. MOST OF THE DRAWINGS SUBMITTED WERE DEFICIENT IN BOTH THEIR DESIGN QUALITY AND IN THE UNDERSTANDING OF THE USE OF LETTERING. MANY MERITORIOUS DESIGNS WERE DISCARDED BECAUSE OF THE POOR LETTERING INDICATED. THE ONLY PREMIATED SKETCH WAS WELL RENDERED AND PRESENTED, HOWEVER IT WAS FELT THAT IN ACTUAL EXECUTION THE CENTRAL FIGURE OF THE EAGLE WOULD BE MUCH TOO SMALL. MANY MEMBERS OF THE JURY CONSIDERED THAT EVEN THE PREMIATED DESIGN WAS TRITE IN ITS CONCEPTION. THE SUBMISSIONS AS A WHOLE WERE MOST DISAPPOINTING, PARTICULARLY AS THE PROGRAM WAS ACCOMPANIED BY A VERY WORTHWHILE ARTICLE BY A LEADING CRITIC ON THE SUBJECT. POINTS EMPHASIZED IN THE TEXT SUCH AS CLARITY OF DESIGN WERE COMPLETELY IGNORED. THE DEVELOPMENT OF THE FIELD OF GRAPHIC ART IN RELATION TO ARCHITECTURE WAS NEITHER WELL THOUGHT OUT NOR WELL EXECUTED.

SUMMARY OF AWARDS:

1 MENTION 1 HALF MENTION 7 NO AWARD 9 TOTAL SUBMITTED

OKLAHOMA A. & M. COLLEGE: MENTION- J.L.SAMUELSON. HALF MENTION- R.W.HARDIN.

INDEX OF REPRODUCTIONS:

CLASS A SKETCH 5 - A POSTAGE STAMP
AUGUST 26, 1952

NO REPRODUCTIONS.

REPRODUCTIONS OF WORK OF THE CURRENT SCHOOL YEAR
AVAILABLE AT 50 CENTS A PRINT; REPORTS AT 15 CENTS EACH.
REPORTS AND REPRODUCTIONS OF WORK OF ANY PREVIOUS SCHOOL YEAR
IF AVAILABLE, ARE \$1.00 PER REPRODUCTION OR REPORT.

BEAUX-ARTS INSTITUTE OF DESIGN

DEPARTMENT OF ARCHITECTURE

1951-1952 FIFTY-NINTH SCHOOL YEAR

115 EAST 40th ST., NEW YORK 16, N. Y.

VOLUME XVII

PAGE 6

EXERCISE ANY 9 CONSECUTIVE HOURS BETWEEN

JUNE 23 AND AUGUST 26, 1952

— LEO LIONNI, NEW YORK, N.Y.

JUDGMENT ABOUT

A BOOK JACKET — AUGUST 26, 1952

A BOOK JACKET — AUGUST 26, 1952

CLASS B SKETCH 5

EXAMPLE SUBJECT:

NOTRE DAME

THE UNIVERSITY

A STUDY IN GRAPHIC COMPOSITION STRESSING COLOR, LEGIBILITY AND
RELATIONSHIP TO BOOK SUBJECT.

PARTICIPANTS:

OKLAHOMA A. & M. COLLEGE

AUTHOR—LEO LIONNI, Notre Dame, New York, N.Y., was born in Holland; received Ph.D. in Economics from University of Genoa in 1935; Pursued the study of painting, advertising and design in Milan, Italy, between 1931-39. Since 1939 Mr. Lionni has been art director, consultant and instructor with N.W. Ayer & Son, Federal Housing Administration and Fortune Magazine. Mr. Lionni is also the author of articles on architecture and the cinema besides doing illustrations and catalogues for national organizations and museums and holding one man shows of drawings, water colors, and paintings.

THE STUDY OF THE SUBJECT NOTRE DAME IS A CLASSIC. IT IS A CHURCH, A MONASTERY, A LIBRARY, A MUSEUM, A GARDEN, AND A PLACE OF WALK AND RECREATION. THE SUBJECT IS EXTERIALLY AND INTERNALLY RELATED TO THE SUBJECT. THE TITLE PAGE IS CONSIDERED AS THE MOST IMPORTANT PART OF THE JACKET BECAUSE IT IS THE FIRST CONTACT WITH THE PUBLIC. ALL OF THE SERVICES PROVIDED BY THE UNIVERSITY HAVE BEEN DEVELOPED AND ANALYZED IN PICTURES, UP AND DOWN, FRONT AND BACK.

PROGRAM:

Size:

Covers 8" x 11"

Spine 3/4" x 11"

Flaps 3 1/2" x 11"

Information to be included:

On Front Cover:

Title: Design for Museums

Author: Dr. A. R. Binback

Publisher: Pictorial Books, Inc.

On Spine:

Title, author and publisher as given above

On Front Inside Flap:

Photo of author and 200 words of copy

Colors:

Two colors and black.

REQUIRED: (Sheet size 22" x 30").

Full size design of entire jacket, in color.

CLASS B SKETCH 5 — A BOOK JACKET

AUGUST 26, 1952

THE UNIVERSITY OF NOTRE DAME

THE UNIVERSITY OF NOTRE DAME, CLOTHESLINE, CLOTHESLINE,

THE UNIVERSITY OF NOTRE DAME, CLOTHESLINE, CLO

DEPARTMENT OF ARCHITECTURE

BEAUX-ARTS INSTITUTE OF DESIGN

1921-1922 EIGHT-NINTH SCHOOL YEAR
112 EAST 40TH ST., NEW YORK 16, N.Y.

JUDGEMENT ABOUT
AUGUST 30, 1922

EXERCISE AND CONSECUTIVE HOURS BETWEEEN
JUNE 23 AND AUGUST 19, 1922

CLASS B SKETCH 2

A BOOK JACKET

A STUDY IN GRAPHIC COMPOSITION STRESSING COLOR, FLEXIBILITY AND
RELATIONSHIP TO BOOK SUBJECT.

AUTHOR—LEO LOINON, New York, N.Y., was born in Holland; received Ph.D. in Economics from University of Gronon in 1925; pursued the study of building, especially timber and design in Milan, Italy, between 1913-15. Since 1918 Mr. Loinon has been at direction, consultant and lecturer with N.W. Ayer & Son, Federal Housing Administration and Fortune Magazine. Mr. Loinon is also the author of articles on architecture and the cinema besides doing illustrations and sketches for stationery publications and the like.

ABSTRACT—Design for Museum. The design is a study of the relationship of colors and masses and shows the use of diverse media, water colors, oil and pastels.

and signatures.

PROGRAM:

Size:

Cover 8" x 11".

Spine 3 $\frac{1}{2}$ " x 11".

Habes 3 $\frac{1}{2}$ " x 11".

Information to be included:

On Front Cover:

Title: Design for Museum

Author: Dr. A. R. Biupsck

Publisher: Photo-Book, Inc.

On Spine:

Title, author and publisher as given above

On Front Inside Hab:

Photo of author and 500 words of copy

Colors:

Two colors and black

REQUIRED: (Sheet size 22" x 30").

Full size sketch of entire jacket, in color.

CLASS B SKETCH 5

AUTHOR - LEO LIONNI, NEW YORK, N.Y.

A BOOK JACKET

JURY OF AWARD - AUGUST 26, 1952

LEOPOLD ARNAUD
WALKER O. GAIN

ALONZO W. CLARK, III
HAROLD RAMBUSCH

MAURICE R. SALO
C.E. STOUSLAND

PARTICIPANTS:

OKLAHOMA A. & M. COLLEGE
UNIVERSITY OF NOTRE DAME
WESTERN RESERVE UNIVERSITY, CLEVELAND

REPORT OF THE JURY - BY ALONZO W. CLARK, III

THE JURORS' FIRST REQUIREMENT IN REVIEWING THIS SKETCH WAS THE APPLICABILITY OF THE DESIGN TO THE BOOK. MANY STUDENTS MADE THE MISTAKE OF USING AN OVERALL DESIGN WHICH WOULD BE MEANINGLESS WHEN USED AS A BOOK JACKET. A COMMON MISTAKE WAS MADE IN ATTEMPTING TO INTRODUCE TOO MANY MOTIFS IN TOO SMALL A SPACE. ATTRACTIVENESS OF DESIGN AND COLOR AS WELL AS EYE-CATCHING QUALITIES WERE STRESSED. LETTERING AS IT RELATED TO THE POSITION ON THE BOOK JACKET AND TO THE DESIGN WAS CONSIDERED AN IMPORTANT FACTOR. MANY GOOD DESIGNS WERE ELIMINATED BECAUSE OF THE POOR CONCEPTION OF THE LETTERING USED. THE GENERAL CHARACTER OF THE SKETCHES WAS DISAPPOINTINGLY POOR. ALTHOUGH THE PROGRAM COULD HAVE BEEN DEVELOPED AS AN EXERCISE IN PURE DESIGN WITH A VERY PRACTICAL BASIS OF APPLICATION, MOST OF THE STUDENTS MISSED THE OPPORTUNITY OFFERED BY IT.

SUMMARY OF AWARDS:

4 MENTION 6 HALF MENTION 6 NO AWARD 16 TOTAL SUBMITTED

OKLAHOMA A. & M. COLLEGE: HALF MENTION- L.O.BASS.
UNIVERSITY OF NOTRE DAME: MENTION- D.A.HINSHAW; HALF MENTION- J.RICHMOND,
R.J.SAVAGE.
WESTERN RESERVE UNIVERSITY, CLEVELAND: MENTION- J.J.KOZEL, W.T.MOORE,
A.A.PAPESH. HALF MENTION- J.GERBA, D.E.LANDIN, A.S.MATEJCIK.

INDEX OF REPRODUCTIONS:

CLASS B SKETCH 5 - A BOOK JACKET
AUGUST 26, 1952

89. D.A.HINSHAW, UNIVERSITY OF NOTRE DAME	MENTION
90. A.A.PAPESH, WESTERN RESERVE UNIVERSITY, CLEVELAND	MENTION
91. W.T.MOORE, WESTERN RESERVE UNIVERSITY, CLEVELAND	MENTION
92. J.J.KOZEL, WESTERN RESERVE UNIVERSITY, CLEVELAND	MENTION

REPRODUCTIONS OF WORK OF THE CURRENT SCHOOL YEAR
AVAILABLE AT 50 CENTS A PRINT; REPORTS AT 15 CENTS EACH.
REPORTS AND REPRODUCTIONS OF WORK OF ANY PREVIOUS SCHOOL YEAR
IF AVAILABLE, ARE \$1.00 PER REPRODUCTION OR REPORT.

BEAUX-ARTS INSTITUTE OF DESIGN

SCHOOL YEAR 1951-1952

PAGE 61

INDEX VOLUME XXVIII

<u>ISSUE</u>		<u>JUDGMENTS</u>	<u>PROBLEMS</u>	<u>PAGES</u>	<u>REPRODUCTIONS</u>	<u>PLATES</u>
JANUARY	No. 1	DECEMBER 11, 1951	A,B,C, 1	1-10	#1 - #12	12
FEBRUARY						
	No. 2	JANUARY 10, 1952	A.B.C. 2	11-24	#13 - #34	20
		JANUARY 26, 1952	EMERSON			
MAY	No. 3	MARCH 13, 1952	W.WARREN	25-36	#35 - #64	21
		APRIL 22, 1952	A,B,C, 3			
		MAY 2, 1952				
		MAY 10, 1952				
JUNE	No. 4	JANUARY 22, 1952	1952 37-42		#40 - #44	5
		MARCH 19, 1952	LLOYD WARREN			
		APRIL 22, 1952	SCHOLARSHIP			
JULY	No. 5	JUNE 3, 1952	A,B,C, 4	43-52	#65 - #79	16
		JUNE 5, 1952				
SEPTEMBER	No. 6	AUGUST 26, 1952	A,B,C, 5	53-64	#80 - #92	11
		INDEX 1951-1952				

OUT-OF-TOWN JUDGMENTS 1951-1952

FEBRUARY	No. 2	DALLAS, TEXAS DALLAS PWR. & LIGHT CO.	JAN. 26, 1952	B 2 PG. 17
MAY	No. 3	STILLWATER, OKLA. OKLA. A. & M. COLLEGE	MAY 2, 1952	BA 3 PG. 29
		CHICAGO, ILL. UNIV. OF ILL. NAVY PIER	MAY 10, 1952	C 3 PG. 34

SUPPLEMENTARY PROBLEMS

FEBRUARY	No. 2	EMERSON PRIZE	JANUARY 10, 1952	#17-#20 (4)	PG. 13
		"A WAITING ROOM IN AN INTERNATIONAL AIRPORT"			
		AUTHOR - MAX ABRAMOVITZ		REVIEW - WILLIS N. MILLS	
MAY	No. 3	WHITNEY WARREN PRIZES	MARCH 13, 1952	#35-#39 (5)	PG. 25
		"A TRADE FAIR"			
		AUTHOR - DONALD S. NELSON		REVIEW - JOSEPH J. ROBERTO	

RESUME OF DALLAS JUDGMENT - BY MICHAEL M. HARRIS, DIRECTOR OF ARCHITECTURE
FEBRUARY 1952 PG. 24

CORRECTION: REPORT OF THE JURY - CLASS A SKETCH 4 - JULY, 1952 PG. 47
PARAGRAPH FOUR, SECOND SENTENCE SHOULD READ: "ARCHITECTURE IF
NOT THE MOTHER OF THE ARTS MUST REMAIN ONE OF THE ARTS,..."

CLASS A PROBLEMS

		<u>AUTHOR OF PROGRAM</u>	<u>AUTHOR OF REPORT</u>
1.	A MUSEUM OF SCIENCE & INDUSTRY	RAY STUERMER	MILTON S. OSBORNE
2.	A COUNTRY RESIDENCE	JOSEF M. GUTNAYER	GEORGE NEMENY AND BENJAMIN MOSCOWITZ
3.	A CHURCH	PIETRO BELLUSCHI	GEORGE W. EDWARDS
4.	AN AIR LINE BUS TERMINAL	CHARLES G. RUMMEL	ARTHUR S. DOUGLASS, JR.
5.	A LARGE SHOPPING CENTER	BRUNO FUNARO AND HOWARD T. FISHER	MORRIS KETCHUM, JR.

JUDGMENTS - CLASS A PROBLEMS

		ISSUE	REPORT	REPRODUCTIONS	PLATES
1.	DECEMBER 11, 1951	NO.1	PG.1	# 1 - 4	4
2.	JANUARY 10, 1952	NO.2	PG.14	#21 - 24	4
3.	MAY 2, 1952	STILLWATER, OKLA. NO.3	PG.29	#51 - 55	5
4.	JUNE 3, 1952	NO.5	PG.43	#65 - 68	4
5.	AUGUST 26, 1952	NO.6	PG.53	#80 - 82	3

CLASS B PROBLEMS

1.	CHILDREN'S LIBRARY & MUSEUM	ANTHONY J. DAIDONE	GIORGIO CAVAGLIERI
2.	TELEVISION SALES ROOM	ROBERT CARSON	A.B. SWANK, JR.
3.	A MEDIUM COST SUBURBAN RESIDENCE	HUGH STUBBINS, JR.	KARL KAMRATH
4.	A SUMMER THEATRE	TALMAGE COATES HUGHES	HARWELL H. HARRIS
5.	A MANUAL SKILLS ANNEX FOR HIGH SCHOOL	RALPH W. HAMMETT	R. DUANE CONNER
		PHILIP WILL, JR.	BENJAMIN SCHLANGER
			JACQUES L. DELAMARRE

JUDGMENTS - CLASS B PROBLEMS

1.	DECEMBER 11, 1951	NO.1	PG. 4	# 5 - 10	6
2.	JANUARY 26, 1952	DALLAS, TEXAS NO.2	PG.18	#29 - 34	6
3.	MAY 2, 1952	STILLWATER, OKLA. NO.3	PG.31	#56 - 59	4
4.	JUNE 5, 1952	NO.5	PG.49	#73 - 79	7
5.	AUGUST 26, 1952	NO.6	PG.55	#83 - 86	4

CLASS C PROBLEMS

1.	GATE HOUSE CONTROL TOWER FOR INDUSTRIAL PLANT	GEORGE HOWE	ARTHUR O. ANGILLY
2.	A GRANGE	VICTORINE & SAMUEL HOMSEY	ROY O. ALLEN
3.	A SHOP BETWEEN PARTY WALLS	HARRIS ARMSTRONG	WALTER H. SOBEL
4.	A MISSION CHAPEL ON A BARGE	MAURICE R. SALO	LERoy VAN LENT
5.	A MOTEL (A TOURIST CAMP)	FREDERIC ARDEN PAMELEY	WALKER O. CAIN

JUDGMENTS - CLASS C PROBLEMS

1.	DECEMBER 11, 1951	NO.1	PG. 7	#11, 12	2
2.	JANUARY 10, 1952	NO.2	PG.16	#25 - 28	4
3.	MAY 10, 1952	CHICAGO, ILL. NO.3	PG.34	#60 - 64	5
4.	JUNE 5, 1952	NO.5	PG.51	#69 - 72	4
5.	AUGUST 26, 1952	NO.6	PG.58	#87, 88	2

BEAUX-ARTS INSTITUTE OF DESIGN INDEX VOLUME XXVIII SCHOOL YEAR 1951-1952

PAGE 63

CLASS A SKETCHES

1. A CHILDREN'S ROOM
2. AN ORDITER TRACING STATION
3. A SKATING RINK
4. TROPHY FOR THE OLYMPIC GAMES
5. A POSTAGE STAMP

AUTHOR OF PROGRAM AUTHOR OF REPORT

GEORGE NEMENY	GEORGE T. LICHT
ROBERT I. LOCKARD &	F.J. WOERNER, JR.
W.L. BRADSHAW	R.D. WHITE
JEDD S. REISNER	L.W. VANOVER
WHEELER WILLIAMS	WALTER O. CAIN
ALINE B. LOUCHHEIM	WHEELER WILLIAMS
	LEOPOLD ARNAUD

JUDGMENTS - CLASS A SKETCHES

1. DECEMBER 11, 1951
2. JANUARY 26, 1952 DALLAS, TEXAS
3. APRIL 22, 1952
4. JUNE 3, 1952
5. AUGUST 26, 1952

ISSUE	REPORT	REPRODUCTIONS	PLATES
NO. 1	PG. 10	NONE	0
NO. 2	PG. 23	NONE	0
NO. 3	PG. 27	#45 - 47	1
NO. 5	PG. 47	NONE	0
NO. 6	PG. 59	NONE	0

CLASS B SKETCHES

1. A STABLE
2. A COAST GUARD STATION
3. A CADDY HOUSE
4. AN ART GALLERY LOBBY
5. A BOOK JACKET

EDWIN BATEMAN MORRIS	WYNANT D. VANDERPOOL
ALEXANDER P. MORGAN	YUSUF MEER
JULES GREGORY	DANIEL SCHWARTSMAN
HENRY L. BLATNER	ROBERT K. POSEY
LEO LIONNI	ALONZO W. CLARK, III

JUDGMENTS - CLASS B SKETCHES

1. DECEMBER 11, 1951
2. JANUARY 10, 1952
3. APRIL 22, 1952
4. JUNE 3, 1952
5. AUGUST 26, 1952

NO. 1	PG. 9	#13	½
NO. 2	PG. 11	#14 - 16	1½
NO. 3	PG. 28	#48 - 50	1
NO. 5	PG. 48	NONE	0
NO. 6	PG. 60	#89 - 92	2

PRIZES AWARDED IN SCHOOL YEAR 1951-1952

ARCHITECTURAL FORUM - MAGAZINE OF BUILDING A SHOPPING CENTER ARCHITECTURAL RECORD A CHILDREN'S LIBRARY & MUSEUM EMERSON PRIZE A WAITING ROOM IN AN INTERNATIONAL AIRPORT HIRONS ALUMNI PRIZE A CHURCH KAWNEER COMPANY PRIZE TELEVISION SALES ROOM MARBLE INSTITUTE OF AMERICA A MUSEUM OF SCIENCE & INDUSTRY TILE COUNCIL OF AMERICA AN AIRLINE BUS TERMINAL UNITED STATES PLYWOOD CORPORATION A MEDIUM COST SUBURBAN RESIDENCE WHITNEY WARREN PRIZES A TRADE FAIR	SEPTEMBER CLASS A PROBLEM 5 JANUARY CLASS B PROBLEM 1 FEBRUARY MAY CLASS A PROBLEM 3 MAY CLASS B PROBLEM 2 JANUARY CLASS A PROBLEM 1 JULY CLASS A PROBLEM 4 MAY CLASS B PROBLEM 3 MAY MAY	ISSUE 6 AUGUST 26, 1952 ISSUE 1 DECEMBER 11, 1951 ISSUE 2 PG. 13 JANUARY 10, 1952 ISSUE 3 MAY 2, 1952, STILLWATE ISSUE 3 JANUARY 26, 1952, DALI ISSUE 1 DECEMBER 11, 1951 ISSUE 5 JUNE 3, 1952 ISSUE 3 MAY 2, 1952, STILLWA ISSUE 3 MAY 2, 1952, STILLWA	PG. 53 PG. 4 1 1 0 2 PG. 29 PG. 25 PG. 1 PG. 1 PG. 43 PG. 31 PG. 25
---	---	--	---

BEAUX-ARTS INSTITUTE OF DESIGN

INDEX VOLUME XXVIII

SCHOOL YEAR 1951-1952

PAGE 64

JUNE ISSUE NUMBER 4

1952 LLOYD WARREN SCHOLARSHIP - 39TH PARIS PRIZE IN ARCHITECTURE

FIRST PRELIMINARY EXERCISE

AUTHOR OF PROGRAM

AUTHOR OF REPORT

A MAJOR RAILROAD STATION

WALKER O. CAIN

WALKER O. CAIN

SECOND PRELIMINARY EXERCISE

THE CONCOURSE FOR A LARGE RAILROAD STATION

WALTER H. KILHAM, JR. HARMON H. GOLDSTONE

FINAL COMPETITION

A UNIVERSITY ENGINEERING SCHOOL

BENJAMIN LANE SMITH DANIEL SCHWARTZMAN

JUDGMENTS - 1952 LLOYD WARREN SCHOLARSHIP

REPORT

REPRODUCTION

PLATES

FIRST PRELIMINARY - JANUARY 22, 1952

PG. 37

#40

1

SECOND PRELIMINARY - MARCH 19, 1952

PG. 39

#41, 43


2


FINAL COMPETITION - APRIL 22, 1952


PG. 41

#42, 44

2








YACHTS
BALA
DELAWARE
CABIN




YACHTS
BALA
DELAWARE
CABIN



SECTION A-A



FIRST FLOOR




SECOND FLOOR

THIRD FLOOR

FOURTH FLOOR

SECTION B-B



SECTION C-C

1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920




SECTION Elevation

SECTION A-A

1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920

SECTION Elevation


SECTION A-A





MANUAL SKILL CENTER




SECTION A-A
CLASS OF NOV
DECEMBER, 1985



N. ELEVATION



SECTION B-B
CLASS OF NOV
DECEMBER, 1985




FRONT ELEVATION



SECTION THRU A-A





THIRD FLOOR PLAN




SECOND FLOOR PLAN

PERSPECTIVE LOOKING NORTHWEST




FIRST FLOOR PLAN



M.P.

A MANUAL SKILLS ANNEX
FOR AN
EXISTING HIGH SCHOOL
CLASS D LEVEL C
QUINNIPAC COLLEGE
E.H. TORD JR.

REF ID: A-86



88


A. MOTEL
A.A.D.R.
CLASS C PROB S
DRA. A & M

M O T E L I N F E X G G

HIGHWAY


85

TEXAS
LOCALITE





ELEVATION FROM HIGHWAY

PERSPECTIVE




ENTRANCE







27



28



29



30

